RODEO CAV TAC

INDICATIONS FOR USE:

RODEO TAC is a mineral, vitamin and amino acid nucleus for mixing intended for Beef and Dairy cattle of all ages and in all their breeding phases.

HOW TO USE:

- Mix 10 grams of **RODEO CAV TAC** per day in feed or roughage for each animal (10g/animal/day).

BENEFITS:

- Helps with joints, tendons and hooves
- Helps in the development of bones and muscles
- Smooth and uniform hair
- Source of energy

Guarantee levels per kg of products:

Description	Guarantee	Unit
Sulfur (minimum)	9,900.0000	mg/kg
Manganese (minimum)	520.0000	mg/kg
Copper (minimum)	2,500.0000	mg/kg
Cobalt (minimum)	1,000.0000	mg/kg
Zinc (minimum)	3,500.0000	mg/kg
Iron (minimum)	6,000.0000	mg/kg
Magnesium (minimum)	1,100.0000	mg/kg
L-Lysine (minimum)	15.6000	g/kg
Biotin (minimum)	400.0000	mg/kg
Omega3 (minimum)	750.0000	mg/Kg
Calcium (minimum/maximum)	267.2000/296.9000	g/kg
Vitamin B1 (minimum)	29.4000	mg/kg
Vitamin B2 (minimum)	8.0000	mg/kg
Vitamin B6 (minimum)	29.4000	mg/kg
Vitamin B12 (minimum)	10.0000	µg/Kg
Vitamin C (minimum)	9.9000	mg/kg
Vitamin D3 (minimum)	1,000,000.0000	IU/Kg
Vitamin K3 (minimum)	15.3000	mg/kg
Vitamin B3 (mínminim)	1,980.0000	mg/kg
Glutamic Acid (minimum)	1.0000	mg/kg
Glutamine (minimum)	1.0000	mg/kg
Threonine (minimum)	4,925.0000	mg/kg
Dextrose (mínimo)	19.9000	g/kg
Vanilla Aroma (mínimo)	2,000.0000	mg/kg
Betaglucans (mínimo)	3,000.0000	mg/kg
Mannanoligosaccharide (mínimo)	1,700.0000	mg/kg
Saccharomy cescerevisiae (mínimo)	1.5000x10E12	cfu/kg
Ruminobacter amylophilum (mínimo)	6.0000x10E10	cfu/kg
Ruminobacter succinogenes (mínimo)	6.0000x10E10	cfu/kg
Succinovibrio dextrinosolvens (mínimo)	8.8000x10E10	cfu/kg
Bacillus cereus (mínimo)	7.0000x10E10	cfu/kg
Lactobacillus acidophilus (mínimo)	7.0000x10E10	cfu/kg
Enterococcus faecium (mínimo)	7.0000x10E10	cfu/kg

PRESENTATION:

5, 10, 20 and 25 kg buckets